

ZoneMinder on FreeBSD 15: Technical Install Guide

This guide covers installing ZoneMinder on FreeBSD 15 with:

- A remote MySQL/MariaDB server (dbserver)
- NFS storage on a ZFS dataset (nfsserver)

Assumptions: - You have root or sudo access on all systems - Substitute your preferred editor for edit in commands

1. Prerequisites & Initial Setup

1.1 Database Server: Create ZoneMinder Database

```
CREATE DATABASE zm;  
CREATE USER 'zmuser'@'192.168.1.%' IDENTIFIED BY 'zmpass';  
GRANT ALL PRIVILEGES ON zm.* TO 'zmuser'@'192.168.1.%;'  
FLUSH PRIVILEGES;
```

Adjust 192.168.1 to your subnet as needed.

1.2 NFS Server: Create Dataset & Export

Create and export the dataset:

```
zfs create pool/zoneminder  
zfs set quota=500G atime=off pool/zoneminder  
echo '/pool/zoneminder -alldirs -maproot=root' >> /etc/exports  
service mountd reload
```

2. ZoneMinder Server: Preparation

2.1 Test Database Connection

```
mysql -h dbserver -u zmuser -p zm  
exit;
```

2.2 Test NFS Mount

```
mount -t nfs nfsserver:/pool/zoneminder /mnt
```

```
ls /mnt
umount /mnt
```

2.3 (Optional) Set up /tmp as Ramdisk

```
echo 'tmpfs /tmp tmpfs rw,nosuid,mode=1777 0 0' >> /etc/fstab
rm -fR /tmp/*
rm -fR /tmp/.*
mount /tmp
reboot # only if needed
```

3. Install ZoneMinder & Dependencies

```
pkg install zoneminder-php85 nginx fcgiwrap
```

3.1 Set Up Database and Storage

```
# initialize zm database
mysql -h dbserver -u zmuser -p zm <
/usr/local/share/zoneminder/db/zm_create.sql
# move data to NFS
mount nfsserver:/pool/zoneminder /mnt
mv /var/db/zoneminder/* /mnt/ # expect errors as not all permissions match on NFS
umount /mnt
# configure NFS mount
echo 'nfsserver:/pool/zoneminder /var/db/zoneminder nfs rw,soft 0 0' >>
/etc/fstab
mount /var/db/zoneminder
chown -fR www:www /var/db/zoneminder
```

4. Configure Services

In the following, I tried to set up a copy/paste and also backing up files before changing them.

4.1 nginx

```
cd /usr/local/etc/nginx
mv nginx.conf nginx.conf.save
edit nginx.conf
```

Paste in:

```
worker_processes 1;
events {
    worker_connections 1024;
}
http {
    include mime.types;
    default_type application/octet-stream;
    sendfile on;
    keepalive_timeout 65;
    server {
        listen 80;
        root /usr/local/www/zoneminder;
        index index.php;
        gzip off;
        location /cgi-bin/nph-zms {
            include fastcgi_params;
            fastcgi_param SCRIPT_FILENAME $request_filename;
            fastcgi_pass unix:/var/run/fcgiwrap/fcgiwrap.sock;
        }
        location /zm/cache {
            alias /var/cache/zoneminder;
        }
        location /zm {
            alias /usr/local/www/zoneminder;
            location ~ /\.php$ {
                if (!-f $request_filename) { return 404; }
                include fastcgi_params;
                fastcgi_param SCRIPT_FILENAME $request_filename;
                fastcgi_index index.php;
                fastcgi_pass unix:/var/run/php-fpm.sock;
            }
            location ~ /\.(jpg|jpeg|gif|png|ico)$ {
                access_log off;
                expires 33d;
            }
            location /zm/api/ {
                alias /usr/local/www/zoneminder;
                rewrite ^/zm/api(.+)$ /zm/api/app/webroot/index.php?p=$1 last;
            }
        }
    }
}
```

4.2 php-fpm

```
cd /usr/local/etc/php-fpm.d/
mv www.conf www.conf.save
edit /usr/local/etc/php-fpm.d/www.conf
```

Paste in (change time zone if needed):

```
[www]
user = www
group = www
env[PATH] = /usr/local/bin:/usr/bin:/bin
pm = dynamic
pm.max_children = 5
pm.start_servers = 2
pm.min_spare_servers = 1
pm.max_spare_servers = 3
php_admin_value[date.timezone] = America/Chicago
listen.owner = www
listen.group = www
listen = /var/run/php-fpm.sock
```

4.3 ZoneMinder DB Credentials

Create /usr/local/etc/zoneminder/03-database.conf (do not edit zm.conf):

```
edit /usr/local/etc/zoneminder/03-database.conf
```

Paste in:

```
ZM_DB_TYPE=mysql
ZM_DB_HOST=dbserver
ZM_DB_NAME=zm
ZM_DB_USER=zmuser
ZM_DB_PASS=zmpass
```

5. Enable & Start Services

Do each service in turn, troubleshooting if it fails to start

5.1 nginx

```
sysrc nginx_enable="YES"
service nginx start
```

5.2 fcgiwrap

```
sysrc fcgiwrap_enable="YES"
sysrc fcgiwrap_user="www"
sysrc fcgiwrap_socket_owner="www"
sysrc fcgiwrap_flags="-c 4"
```

```
service fcgiwrap start
```

5.3 php-fpm

```
echo 'date.timezone = "America/Chicago"' > /usr/local/etc/php/timezone
sysrc php_fpm_enable="YES"
service php_fpm start
```

5.4 zoneminder

```
sysrc zoneminder_enable="YES"
service zoneminder start
```

6. Verification

Access ZoneMinder at: <http://servername/zm>

Recommendation: Reboot and verify all services start automatically.

From:

<https://wiki.linuxservertech.com/> - **Unix Server Tech Knowledge Base**

Permanent link:

<https://wiki.linuxservertech.com/software/zoneminder/freebsd>

Last update: **2026/02/18 06:05**

